Hall D Offline Software Performance and Status

12 GeV Software Review III February 10, 2015 Mark Ito

High-Level Software Packages

Function	Package	"Locally" Grown?
Raw Data Format	EVIO	yes
Offline Data Format	HDDM (compressed XML, REST a variant)	yes
Geometry Specification	HDDS (an XML)	yes
Data Acquisition Framework	CODA	yes
Simulation Engine	GEANT 3	no
Event-Based Processing Framework	JANA	yes
Event Simulation and Event Reconstruction	sim-recon (sim: GEANT 3, recon: JANA)	yes
High-Level Event Analysis	Analysis Library (part of sim-recon)	yes
Histogramming, Fitting, etc.	ROOT	no
Amplitude Analysis (PWA)	AmpTools	yes

Low-Level Software Packages

Function	Package
XML Parsing	Xerces-C
Source Code Management	Subversion
Build System	SCons (some GNU Make)
Scripting	Python (some legacy Perl)
Database	MySQL/MariaDB and SQLite
Web Authoring	MediaWiki (mostly)
Data Transfer (WAN)	SRM, Globus Online

Computing Performance Example

Computing task times: assume a 10,000 core Haswell farm.

Fiscal Year	2015	2016	2017	2018	2019
Weeks of running	2	16	25	18	22
Trigger Rate (kHz)	2	20	20	20	20
Number of events (billions)	1.2	97	151	109	133
Reconstruction time (days)	0.06	5.1	8.0	5.7	7.0
Recon.+Sim. Time (days)					
	0.6	50.9	79.5	57.2	70.0
Total data to tape (PB)					
	0.05	4.0	6.3	4.5	5.6

Computing Requirements Discussion

- Reconstruction time reduced by a factor of 3 with new Haswell chip relative to assumption of last estimate.
- Running time per year has decreased
 - Peak of 25 weeks in FY17 vs. 35 weeks in last estimate.
- Simulated data creation time has gone up factor of 7 relative to reconstruction since last estimate.
 - Original estimate not well documented
 - Experimental resolution inclusion: much slower now.
 - Improvement likely possible, unimproved number used.
- Commissioning data: event reconstruction rate 50% better than that on simulated data, but...
 - "junk" events not accounted for yet (event fraction, recon. rate)
 - Beam-spectrum/trigger not realistic (different center-of-mass energy)
 - Code base slightly different (for commissioning geometry, recent improvements)

Data Challenges (DCs)

- DC1 December 2012/ January 2013
 - 5 billion Events OSG, JLab, CMU
 - 1200 Concurrent Jobs at Jlab
 - Data produced used to support proposal for GlueX Phase IV running
- DC2 March/April 2014
 - 10 billion events with EM backgrounds included OSG, JLab, MIT, CMU, FSU
 - 4500 Concurrent Jobs at JLab
 - 11,000 Concurrent Jobs on the OSG
 - Well under 0.1% failure rate
- DC3 January/February 2015
 - Read data in raw-event format (EVIO) from tape and produce DST format (REST) files.
 - JLab only
 - Test throughput from Tape Library
 - Run Multi-threaded jobs

🔥 Data	Challenge 2 Ev × +	C	ata Challenge 2 Ever	t Tally Board - Google S	Sheets – Mozilla Firefox		-	u x
(¢) 🔒 htt	:ps://docs.google.com/sprea	adsheets/d/1qvF9B-76gr8	3NdsTKsO17jqL0qc50	(qK46JluvXnJ98k/edit#gio	i=0 ~ C 8 ~ Google	Q ☆	ፅ ∔ 🔀	≡
Google		Misc. Y News Y						
≡		enge 2 Event			lelp Last edit wa	S Comments	Mark Ito 👻	
		\$ % .0_	.0 <u>0</u> , 123 - Ari	al - 1	2 · B I -	A - More -		
f×	Data Challenge	2 Event Tally Boai	rd					
	А	В	С	D	E	F	G	
1		Dat	ta Challenge	e 2 Event Tall	y Board		l	
2	in millions of events							
3								
4		photon rate for E&M Background						
5		1.00E+07	5.00E+07	0				
6			Run					
7	Site	9001	9002	9003	Site Total	Updated		
8	CMU	139.87	8.7			4/14/2014 (Final)		
9	FSU	9	1	.8 5		4/7/2014(Final)		
10	JLab	1,498	14		57 1,999			
11	MIT	629			92 759			
12	OSG	3,980	24		45 5,165			
13	Total	6,256	43			<grand td="" total<=""><td></td><td></td></grand>		
14	Percentages	77.1%	5.3 ⁰			enten dCtatue, http://		
15 16	For recent OSG I				ofrontend/monitor/fro		iston/"	
10	For recent JLab h	instory, go to	mup.//scicomp	.jlab.org/scicomp	r#raugerrusage	and click on "Job H	iistory	
11								
	+	ls 🔻 JLab 👻	Ha	all D Offline Soft	ware	•		

Offline Monitoring during Commissioning Run

- Weekly reconstruction pass through data
 - All data as of Friday afternoon
 - Online monitoring plots reproduced
 - Full reconstruction with updated code and constants
 - Skims of raw events done for calibration
 - DST data produced (REST format)
- Web site for browsing results
- REST data good enough to observe multi-particle final states
- Continuing on a bi-weekly schedule
- Paul Mattione (CMU), Kei Moriya (ASU), Justin Stevens (MIT), Sean Dobbs (NU)


Plots for a selected range of runs

	Offline Data Monitoring: Plot Browser - Mozilla Fire	fox	- E ×					
D Offline Data Monitori × 🗣								
A https://halldweb1.jlab.org/cgi-bin/data_monitoring/mon	nitoring/plotBrowser.py 🗸 🗸	🗧 🗸 🔂 🕹 🕈	₩ Ξ					
Google 👻 📴 Hall D 🗸 🛅 JLab 🗡 🚺 Misc. 👻 🛅 News 🗸	Standard Sites 🐃 🗍 🕂 Add to Delicious							
Offline Data Monitorin	g: Plot Browser							
Select: plot to display: BCAL Occupancy	→ and Recon. Version: recon_RunPeriod-2014-1	0_20150123_ver09 V						
Select run number range to query: 2000	2200 Display							
Add additional MYSQL query requirements as st solenoid current>1190	rring:	eg. and beam_current	>20 and					
Note: Click on figure to open larger image in ne	w tab, or click on Run # to open runBrowser pa	ge for that Run.						
Run 2000	Run 2002	Run 2003						
ADC occupancy (DBCALDigiHit) TDC occupancy (DBCALDigiTDCHit)	ADC occupancy (DBCALDigiHit) TDC occupancy (DBCALDigiTDCHit)	ADC occupancy (DBCALDigiHit) TDC occupancy (DBCALDigiTDCHa)	10					
			3 2 1					
Cocupancy by layer (DBCALDgH4I) a a b b b b b b b b b b b b b b b b b b	Cocapancy by layer (BECALDigHt) (Internet internet intern	Cocoparatory by layer (DBCALDgH4)						
<u>Run 2004</u>	Run 2005	<u>Run 2006</u>						
ACC cocpanny (BCALD9HB) TCC cocpanny (BCALD9TCH) TCC cocpanny (BCALD9	ACC eccepancy (BCALDg/H) TC eccepancy (BCALDg/H) TC eccepancy (BCALDg/H) TC eccepancy (BCALDg/TCH) TC eccepancy (BCALDg/TCH)	AC cooppany (BCALDgH) TC coopeny (BCALDgTCH)	1800 1600 1201 1201 1201 1201 1201 1201 12					
Cocopancy by layer (DECAL DigHt) terms	Cocaparago (br layer (BCALDgHt))	Occupancy by layer (DSCALDgHd)						

Plots for a given run

https://halldweb1.jlab.org/cqi-bin/da	ta_monitoring/monitoring/runBro	wser.py?run_number=220!	5&ver=ver09 ¥	· C 8 v Google		Q 🏠	Ê	+	⋒ 🔀	
Google 🌱 🧰 Hall D 🕆 🛅 JLab 🗡 🛅 Mi	sc. Y	Sites ∽ □ + Add to Delic	ious							
econ_RunPeriod-2014-10_20150123_ve	Mouse over light blue	entries in table to vie	ew histograms	, and click on	an entry to free	ze/unfr	reeze	a spe	əcific	
Display	historgram.									
Disptay		ime Occupancy	Pedestal	WinDataPedMean	WinDataPedWidth	RawInt	VsN Ra	awTim	eVsN Ped	lVsľ
ink displays plots or ROOT		VireOcc								
		giTime DigiOccupancy	Cluster	Shower			_			
pens file	FCAL: DigiPulseInt DigiO		HitSummary		ClusterEnergyTime	ClusterS	pace			
Nov 05 (Run 940-940)			OccupancyPlane2							
Nov 06 (Run 941-980)		giTime DigiOccupancy	T T / L PT /							
Nov 07 (Run 981-997)	TAGM: DigiPulseInt DigiM		HitTime							
Nov 10 (Run 999-1005)	TAGH: DigiPulseInt DigiT		HitSummary	m 1: om 1:	0 1 1 1 1	1. 0				
Nov 11 (Run 1010-1036)	RECO: EventInfo LLObjects					ning2 Kii	nematio	s1 Kin	ematics2	
Nov 12 (Run 1039-1053)	FCAL1 FCAL2	BCAL1 BCAL2	SC1 SC2	SC3 TOF	1 TOF2					
Nov 13 (Run 1056-1081)										
Nov 14 (Run 1091-1091)	Run 2205: Beam curr	ent = 42.0696 nA, Ra	diator = 2x10-	5 RL, Solenoid	current = 1199	.63 A, 1	Frigge	er =		
Nov 15 (Run 1093-1093)	fcal_bcal_m8.conf									
Nov 16 (Run 1097-1144)	Beam y	Entries 1.179834e+07 Mean 6.193	Event Vertex k	inematic Fit	Entries 423255 Mean 0.2123					
Nov 17 (Run 1145-1229)	Ê Î	RMS 2.261			RMS 0.3097					
Nov 18 (Run 1230-1286)	150	-								
Nov 19 (Run 1288-1301)			^{10°}							
Nov 20 (Run 1302-1332)	-	-								
Nov 21 (Run 1334-1393)	100	_	10 ⁴							
Nov 22 (Run 1394-1400)		-	10"							
Nov 23 (Run 1402-1436) Nov 24 (Run 1437-1515)			-							
Nov 25 (Run 1516-1569)	50									
Nov 26 (Run 1572-1640)			10 ³							
Nov 30 (Run 1642-1642)				*****	the proof of the second se					
Dec 01 (Run 1643-1643)		10	0 0.2	0.4 0.6 0	.8 1					
Dec 02 (Run 1644-1656)		p (GeV/c)		Confid	lence Level					
Dec 04 (Run 1693-1696)		Entries 275849			Entries 275849 Mean x 0.06761					
Dec 05 (Run 1748-1796)	8000	Mean 70.86 RMS 23.75	4	en en en este en	Mean x 0.06761 Mean y 0.05672 RMS x 1.367					
Dec 06 (Run 1797-1846)	-	RAS 22.75			RMS x 1.367 RMS y 1.369					
Dec 07 (Run 1847-1894)										
Dec 08 (Run 1897-1993)	6000		2		- 250					
Dec 09 (Run 1995-2009)		-			200					
Dec 10 (Run 2014-2030)	4000	ú	^й 0 <mark>- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-</mark>							
Dec 11 (Run 2037-2078)	E IN		State of the		- 150					
Dec 12 (Run 2084-2122)	2000	-	2		100					
Dec 13 (Run 2129-2153)	2000 F	-	Sec. Sec.	Alter and the	50					
Dec 14 (Run 2154-2198)				And the set	50					
Dec 15 (Run 2205-2231)	0 50 100	150 200	-44 -2	0 2	4 0					
2205 (10046165 events)	0 00 100	Event Vertex-Z (cm)	, 2	Event Ve	rtex-X (cm)					
ROOT										
2207 (6302534 events)										
ROOT										
2209 (8556301 events)										

Quantities as a function of run number



Calibration Working Group

- Bi-weekly meetings
 - chaired by Sean Dobbs of Northwestern
- Preliminary list of constants compiled in advance of run, used to guide activity
- Calibration procedures still being developed
- Substantial progress:
 - Basic timing offsets
 - Global energy scale for calorimeters determined
- All collaborating institutions involved.

Calibration Database Experience

- Fully integrated into reconstruction
- Near-complete migration of constants into database
- All detector groups making contributions (no known rogue systems)
- SQLite form of database as alternate to MySQL/MariaDB
 - Complete history and versioning support
 - Solves:
 - Distribution (remote sites, network-challenged computing)
 - Server contention from farm usage
 - Drawback: no automated back-annotation

Data Distribution Methods

- Used OSG SRM to archive DC2 OSG results to JLab Tape Library
- Raw data shipped to CMU using Globus Online

Data Management

- Raw data stays on JLab Tape Library
- Reconstructed REST-formatted data compact
 - Fall 2014 REST data only 113 GB total
 - Keep as much as possible disk-resident at JLab
 - Distribute most (all?) to collaborating institutions
- Data Catalog/Tracker needs development
 - Existing package?
 - Develop one?
 - Dependence on details of how data distributed

Online Conditions Database

- Database to store online run conditions, e. g., magnet current settings, configuration files, etc.
- Two were deployed
 - One looks great (API, modern web interface)
 - One was useful (hand work required, HTMLbased web interface, CSS-free)
 - Effort underway to consolidate and expand.

Things To Do

- Real data exposed areas requiring further work:
 - Online Conditions Database
 - Data Catalog
 - Version Management
 - Made branch to deal with non-standard detector configuration
 - branch-to-trunk merge problematic
- Geant4: need to pick up the pace of development
- Still need profiling discipline!?
 - Simulation speed has decayed
- Code review system needs design and implementation
 - Size of collaboration makes this a challenge
- Never-ending data challenge never got started

Summary

- Software performed all critical tasks needed to support detector commissioning and to see physics signals.
- The collaboration feels that we reached a number of milestones that we did not expect to see until the April 2015 run.
- Many basic tasks lie ahead: calibrations, monitoring, reconstruction Q/A.
- Software infrastructure to support these activities largely in place.